

CA Proxy

CA Proxy

- Improve error message for failed certificate renewal
- Delete ticket file once we have a signed certificate Today
- Disconnect clients when we renew the certificate context
- Move client_ticket attribute to /var/lib/icinga2/pki Today
- Refuse to sign certificate if it already has the correct chain and doesn't expire "soon" Today
- Finish implementing TTL support for ApiCallbackInfo structs Tomorrow
- Implement support for reinitializing the ApiListener's SSL_CTX while Icinga is running Today
- node wizard should save ca.crt for delayed CSR requests
- node wizard: Make ticket optional
- Use case: No connection to the master + ticket: Where do we get our CA from?
- Ensure that Icinga does not sign CSRs using its own (non-matching) CA (for satellites/agents)
- Improve formatting and output for new CLI commands
- Implement audit logging for CA requests Tomorrow
- Improve error handling for the new CLI commands
- Change default path for certificates to /var/lib/icinga2/pki
- Try to minimize disk I/O
- Use CA certificate for trusted-master.crt Tomorrow
- Cleanup timer for *.json files Tomorrow
- CLI command to approve requests 23 Aug
- API request to approve requests Tomorrow
- node wizard: Eliminate question for CSR host when the user specified that Icinga should initiate connections
- node wizard: New question for "passive" CSR autosigning
- JSON result mode for "node setup" (--json)
- New CLI command: "node status" + --json
- Routing for CSR messages
- Test upgrade path (/etc/icinga2/pki vs. /var/lib/icinga2/pki); CLI command

