

Regression report

Date: 2023-10-13 Time: 11-55-12

Summary report

Module	Total testcases	Passed	Failed
I2_interfaces	34	34	0

Testcase Complete Summary: Total: 34, Passed: 34, Failed: 0

Detailed report of I2_interfaces

Testcase summary: Total: 34, Passed: 34, Failed: 0

Testcase name	Status	User Input	Commands	Before	After
test_case_01.1	Passed	<pre> Input: [{ "access": { "vlan": 400 }, "name": "Ethernet20" }, { "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": 501 }, { "vlan": 502 }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": 504 }, { "vlan": 505 }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100" }, { "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": 501 }, { "vlan": 502 }] } }] </pre>	<pre> Commands: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "state": "merged" }, { "name": "Ethernet24", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "502" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "504" }, { "vlan": "505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "state": "merged" }, { "name": "Ethernet28", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "502" }] } }] </pre>	<pre> Before: [] </pre>	<pre> After: [{ "access": { "vlan": "400" }, "name": "Ethernet20" }, { "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "502" }] } }, { "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504" }, { "vlan": "505" }] } }, { "access": { "vlan": "400" }, "name": "PortChannel100", "state": "merged" }, { "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "502" }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
test_case_01.2	Passed	<pre> Input: [{ "access": { "vlan": 400 }, "name": "Ethernet20" }, { "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": 501 }, { "vlan": 502 }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": 504 }, { "vlan": 505 }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100" }, { "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": 501 }, { "vlan": 502 }] } }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": null, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> After: "Not defined" </pre>
test_case_02.1	Passed	<pre> Input: [{ "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": 502 }, { "vlan": 503 }] } }] </pre>	<pre> Commands: [{ "access": { "vlan": 402 }, "name": "Ethernet28", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "503" }] } }] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": null, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }] </pre>	<pre> After: [{ "access": { "vlan": "402" }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "502" }, { "vlan": "503" }] } }, { "access": { "vlan": "400" }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": null, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": "401" }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>
test_case_02.2	Passed	<pre> Input: [{ "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": 502 }, { "vlan": 503 }] } }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> After: "Not defined" </pre>
test_case_03.1	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": 605 }, { "vlan": 611 }, { "vlan": 617 }, { "vlan": "619-620" }] } }] </pre>	<pre> Commands: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "605" }, { "vlan": "611" }, { "vlan": "617" }, { "vlan": "619-620" }] } }] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> After: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>

Testcase name	Status	User Input	Commands	Before	After
		<pre> }, { "vlan": "619-620" }, { "vlan": "626-627" }, { "vlan": "636-637" }, { "vlan": 639 }, { "vlan": 643 }, { "vlan": 647 }, { "vlan": "649-650" }, { "vlan": "654-655" }, { "vlan": "659-660" } } } }] </pre>		<pre>] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605" }, { "vlan": "611" }, { "vlan": "617" }, { "vlan": "619-620" }, { "vlan": "626-627" }, { "vlan": "636-637" }, { "vlan": "639" }, { "vlan": "643" }, { "vlan": "647" }, { "vlan": "649-650" }, { "vlan": "654-655" }, { "vlan": "659-660" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_04.1	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [</pre>	<pre> Commands: [{ "name": "Ethernet36", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "606-607" </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, </pre>	<pre> After: [{ "access": { "vlan": ' }, "name": "Etl }, { </pre>

Testcase name	Status	User Input	Commands	Before	After
		<pre> { "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }] } }] </pre>	<pre> }, { "vlan": "609-610" }, { "vlan": "612-613" }, { "vlan": "615-616" }, { "vlan": "621-622" }, { "vlan": "624-625" }, { "vlan": "628-629" }, { "vlan": "634-635" }, { "vlan": "640" }] }] </pre>	<pre> { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605" }, { "vlan": "611" }, { "vlan": "617" }, { "name": "619-620" }, { "vlan": "626-627" }, { "vlan": "636-637" }, { "vlan": "639" }, { "vlan": "643" }, { "vlan": "647" }, { "vlan": "649-650" }, { "vlan": "654-655" }, { "vlan": "659-660" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] }, { "access": { "vlan": "402" }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": "401" }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": "611" }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605" }, { "vlan": "611" }, { "vlan": "617" }, { "name": "619-620" }, { "vlan": "626-627" }, { "vlan": "636-637" }, { "vlan": "639" }, { "vlan": "643" }, { "vlan": "647" }, { "vlan": "649-650" }, { "vlan": "654-655" }, { "vlan": "659-660" }] } }, { "access": { "vlan": "400" }, "name": "PortChannel100", "trunk": null }] </pre>

Testcase name	Status	User Input	Commands	Before	After
test_case_04.2	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }] } }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "643" }, { "vlan": "647" }, { "vlan": "649-650" }, { "vlan": "654-655" }, { "vlan": "659-660" }] } }] </pre>	<pre> After: "Not defined" </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_05.1	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }] </pre>	<pre> Commands: [{ "name": "Ethernet36", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "642" }, { "vlan": "644" }, { "vlan": "646" }, { "vlan": "651" }, { "vlan": "653" }, { "vlan": "656" }, { "vlan": "658" }] } }] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "643" }, { "vlan": "647" }, { "vlan": "649-650" }, { "vlan": "654-655" }] } }] </pre>	<pre> After: [{ "access": { "vlan": "611" }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }, { "access": { "vlan": "400" }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": "402" }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": "401" }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": "611" }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "643" }, { "vlan": "647" }, { "vlan": "649-650" }, { "vlan": "654-655" }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> }, { "vlan": "659-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }]</pre>	<pre> "v": }] }, { "access": { "vlan": " }, "name": "Poi] }</pre>
test_case_05.2	Passed	<pre>Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }]</pre>	Commands: []	<pre>Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }] } }]</pre>	After: "Not defined"

Testcase name	Status	User Input	Commands	Before	After
				<pre> { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_06.1	Passed	<pre> Input: [{ "access": { "vlan": null }, "name": "Ethernet20" }] </pre>	<pre> Commands: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "state": "deleted" }] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": null }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }] } }] </pre>	<pre> After: [{ "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": ' }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": ' }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> { "v: }, { "v: }, { "v: }, { "v: }, { "v: }] }, { "access": { "vlan": ' }, "name": "Port }] </pre>
test_case_06.2	Passed	<pre> Input: [{ "access": { "vlan": null }, "name": "Ethernet20" }] </pre>	Commands: []	<pre> Before: [{ "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] }, }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] }, }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] }, }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }] }, },] </pre>	After: "Not defined"

Testcase name	Status	User Input	Commands	Before	After
				<pre> { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_07.1	Passed	<pre> Input: [{ "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": 502 }] } }] </pre>	<pre> Commands: [{ "name": "Ethernet28", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "502" }] } }] </pre>	<pre> Before: [{ "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501-503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }] } }] </pre>	<pre> After: [{ "name": "Etl", "trunk": { "allowed_vlans": [{ "v: }] } }, { "access": { "vlan": " }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v: }] } }, { "access": { "vlan": " }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v: }] } }, { "access": { "vlan": " }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v: }, { "v: }, { "v: }, { "v: }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] }] } </pre>	
test_case_08.1	Passed	<pre> Input: [{ "access": { "vlan": null }, "name": "Ethernet28" }] </pre>	<pre> Commands: [{ "access": { "vlan": 402 }, "name": "Ethernet28", "state": "deleted" }] </pre>	<pre> Before: [{ "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 402 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "503" }] } }], { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }] } }] </pre>	<pre> After: [{ "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }, { "v": }] } }, { "access": { "vlan": 4 }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": 4 }, "name": "Etl", "trunk": { "allowed_vlans": [{ "v": }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }] }, { "access": { "vlan": 4 }, "name": "Port }] </pre>
test_case_08.2	Passed	<pre> Input: [{ "access": { "vlan": null }, "name": "Ethernet28" }] </pre>	Commands: []	<pre> Before: [{ "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": null, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "503" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }] } }] </pre>	After: "Not define"

Testcase name	Status	User Input	Commands	Before	After
				<pre> { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_09.1	Passed	<pre> Input: [{ "name": "Ethernet28", "trunk": { "allowed_vlans": null } }] </pre>	<pre> Commands: [{ "name": "Ethernet28", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "503" }] } }] </pre>	<pre> Before: [{ "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": null, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "501" }, { "vlan": "503" }] } }], { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [</pre>	<pre> After: [{ "name": "Etl", "trunk": { "allowed_ { "v: }] } }, { "access": { "vlan": ' }, "name": "Etl", "trunk": { "allowed_ { "v: }] } }, { "access": { "vlan": (}, "name": "Etl", "trunk": { "allowed_ { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }], "name": "Etl", "trunk": { "allowed_ { "v: }, { "v: }, { "v: }, { "v: } }, "name": "Etl", "trunk": { "allowed_ { "v: }, { "v: }, { "v: } }, "name": "Etl", "trunk": { "allowed_vlans": [</pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_10.1	Passed	<pre> Input: [{ "name": "Ethernet24" }] </pre>	<pre> Commands: [{ "name": "Ethernet24", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }] </pre>	<pre> Before: [{ "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "501-502" }] } }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }] } }] </pre>	<pre> After: [{ "access": { "vlan": "4 }, "name": "Etl "trunk": { "allowed_ { "v: }] } }, { "access": { "vlan": { }, "name": "Etl "trunk": { "allowed_ { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }, { "v: }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
				<pre> "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null } } </pre>	<pre> } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null } } </pre>
test_case_10.2	Passed	Input: [{ "name": "Ethernet24" }]	Commands: []	Before: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }]	After: "Not defined"

Testcase name	Status	User Input	Commands	Before	After
		<pre> "vlan": 617 }, { "vlan": "619-620" }, { "vlan": "626-627" }, { "vlan": "636-637" }, { "vlan": 639 }, { "vlan": 643 }, { "vlan": 647 }, { "vlan": "649-650" }, { "vlan": "654-655" }, { "vlan": "659-660" }] } }] </pre>		<pre> "access": null, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "606-607" }, { "vlan": "609-610" }, { "vlan": "612-613" }, { "vlan": "615-616" }, { "vlan": "621-622" }, { "vlan": "624-625" }, { "vlan": "628-629" }, { "vlan": "634-635" }, { "vlan": "640" }, { "vlan": "642" }, { "vlan": "644" }, { "vlan": "646" }, { "vlan": "651" }, { "vlan": "653" }, { "vlan": "656" }, { "vlan": "658" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_12.1	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }] } }] </pre>	<pre> Commands: [{ "name": "Ethernet36", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "606-607" }, { "vlan": "609-610" }, { "vlan": "612-613" }, { "vlan": "615-616" }, { "vlan": "621-622" }, { "vlan": "624-625" }, { "vlan": "628-629" }] } }] </pre>	<pre> Before: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": null, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "606-607" }, { "vlan": "609-610" }, { "vlan": "612-613" }] } }] </pre>	<pre> After: [{ "access": { "vlan": "611" }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
		<pre>] } }] } </pre>	<pre> "vlan": "634-635" }, { "vlan": "640" }] } </pre>	<pre> { "vlan": "615-616" }, { "vlan": "621-622" }, { "vlan": "624-625" }, { "vlan": "628-629" }, { "vlan": "634-635" }, { "vlan": "640" }, { "vlan": "642" }, { "vlan": "644" }, { "vlan": "646" }, { "vlan": "651" }, { "vlan": "653" }, { "vlan": "656" }, { "vlan": "658" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> "v: }, { "v: }, { "v: }, { "v: }] }, { "access": { "vlan": ' }, "name": "Port }] </pre>
test_case_12.2	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }] } }] </pre>	Commands: []	<pre> Before: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": null, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "642" }, { "vlan": "644" }, { "vlan": "646" }, { "vlan": "651" }, { "vlan": "653" }, { "vlan": "656" }, { "vlan": "658" }] } }] </pre>	After: "Not defined"

Testcase name	Status	User Input	Commands	Before	After
				<pre> } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	
test_case_13.1	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }] </pre>	<pre> Commands: [{ "name": "Ethernet36", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "642" }, { "vlan": "644" }, { "vlan": "646" }, { "vlan": "651" }, { "vlan": "653" }, { "vlan": "656" }, { "vlan": "658" }] } }] </pre>	<pre> Before: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": null, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "642" }, { "vlan": "644" }, { "vlan": "646" }, { "vlan": "651" }, { "vlan": "653" }, { "vlan": "656" }, { "vlan": "658" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> After: [{ "access": { "vlan": "611" }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }, { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] } }] </pre>
test_case_13.2	Passed	<pre> Input: [{ "access": { "vlan": 611 }, "name": "Ethernet36", "trunk": { "allowed_vlans": [{ "vlan": "605-607" }, { "vlan": "609-613" }, { "vlan": "615-617" }, { "vlan": "619-622" }, { "vlan": "624-629" }, { "vlan": "634-637" }, { "vlan": "639-640" }] } }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> After: "Not defined" </pre>

Testcase name	Status	User Input	Commands	Before	After
		<pre> { "vlan": "642-644" }, { "vlan": "646-647" }, { "vlan": "649-651" }, { "vlan": "653-656" }, { "vlan": "658-660" }] }] </pre>			
test_case_14.1	Passed	<pre> Input: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }] </pre>	<pre> Commands: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet28", "state": "merged", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }] </pre>	<pre> Before: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> After: [{ "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": 400 }, "name": "Ethernet100", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": 400 }, "name": "Ethernet28", "trunk": { "allowed_vlans": [{ "v": }] } }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>
test_case_14.2	Passed	<pre> Input: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }] </pre>	<pre> After: "Not defined" </pre>

Testcase name	Status	User Input	Commands	Before	After
			<pre> "state": "replaced", "trunk": { "allowed_vlans": [{ "vlan": "500" }, { "vlan": "502-505" }] }, { "access": { "vlan": 405 }, "name": "Ethernet28", "state": "replaced" }, { "access": { "vlan": 400 }, "name": "PortChannel101", "state": "replaced", "trunk": { "allowed_vlans": [{ "vlan": "620-630" }] } }] </pre>	<pre> "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": null }] </pre>	<pre> "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] }, { "access": { "vlan": 400 }, "name": "PortChannel100", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }] </pre>
test_case_15.2	Passed	<pre> Input: [{ "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": 500 }, { "vlan": "502-505" }, { "vlan": "620-630" }] } }, { "access": { "vlan": 405 }, "name": "Ethernet28" }, { "name": "PortChannel100" }, { "access": { "vlan": 400 }, "name": "PortChannel101", "trunk": { "allowed_vlans": [{ "vlan": "620-630" }] } }] </pre>	Commands: []	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "500" }, { "vlan": "502-505" }, { "vlan": "620-630" }] } }, { "access": { "vlan": 405 }, "name": "Ethernet28", "trunk": null }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel101", "trunk": { "allowed_vlans": [{ "vlan": "620-630" }] } }] </pre>	After: "Not defined"

Testcase name	Status	User Input	Commands	Before	After
				<pre> "allowed_vlans": [{ "vlan": "620-630" }] }] } </pre>	
test_case_16.1	Passed	<pre> Input: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }, { "vlan": "600-605" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24" }, { "name": "PortChannel100", "trunk": { "allowed_vlans": [{ "vlan": 500 }, { "vlan": 600 }, { "vlan": 605 }] } }] </pre>	<pre> Commands: [{ "name": "Ethernet20", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "606-650" }] } }, { "name": "Ethernet24", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "500" }, { "vlan": "502-505" }, { "vlan": "620-630" }] } }, { "access": { "vlan": 405 }, "name": "Ethernet28", "state": "deleted" }, { "access": { "vlan": 401 }, "name": "Ethernet32", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel101", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "620-630" }] } }, { "name": "Ethernet20", "state": "overridden", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24", "state": "overridden" }, { </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "600-650" }] } }, { "access": null, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "500" }, { "vlan": "502-505" }, { "vlan": "620-630" }] } }, { "access": { "vlan": 405 }, "name": "Ethernet28", "trunk": null }, { "access": { "vlan": 401 }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": 400 }, "name": "PortChannel101", "trunk": { "allowed_vlans": [{ "vlan": "620-630" }] } }] </pre>	<pre> After: [{ "access": { "vlan": "620-630" }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }] } }, { "access": { "vlan": "620-630" }, "name": "Ethernet24", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }] } }, { "access": { "vlan": "620-630" }, "name": "Ethernet28", "trunk": null }, { "access": { "vlan": "620-630" }, "name": "Ethernet32", "trunk": { "allowed_vlans": [{ "vlan": "504-505" }] } }, { "access": { "vlan": "620-630" }, "name": "PortChannel101", "trunk": { "allowed_vlans": [{ "vlan": "620-630" }] } }] </pre>

Testcase name	Status	User Input	Commands	Before	After
			<pre> "name": "PortChannel100", "state": "overridden", "trunk": { "allowed_vlans": [{ "vlan": "500" }, { "vlan": "600" }, { "vlan": "605" }] }] </pre>		
test_case_16.2	Passed	<pre> Input: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }, { "vlan": "600-605" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24" }, { "name": "PortChannel100", "trunk": { "allowed_vlans": [{ "vlan": 500 }, { "vlan": 600 }, { "vlan": 605 }] } }] </pre>	<pre> Commands: [] </pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }, { "vlan": "600-605" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24", "trunk": null }, { "access": null, "name": "PortChannel100", "trunk": { "allowed_vlans": [{ "vlan": "500" }, { "vlan": "600" }, { "vlan": "605" }] } }] </pre>	After: "Not defined"
test_case_17.1	Passed	<pre> Input: [] </pre>	<pre> Commands: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "state": "deleted", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }, { "vlan": "600-605" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24", "state": "deleted" }, { "name": "PortChannel100", "state": "deleted", "trunk": { "allowed_vlans": [</pre>	<pre> Before: [{ "access": { "vlan": 400 }, "name": "Ethernet20", "trunk": { "allowed_vlans": [{ "vlan": "500-505" }, { "vlan": "600-605" }] } }, { "access": { "vlan": 400 }, "name": "Ethernet24", "trunk": null }, { "access": null, "name": "PortChannel100", "trunk": { "allowed_vlans": [{ "vlan": "500" </pre>	After: []

Testcase name	Status	User Input	Commands	Before	After
			<pre> "vlan": "500" }, { "vlan": "600" }, { "vlan": "605" }] } }] </pre>	<pre> }, { "vlan": "600" }, { "vlan": "605" }] } }] </pre>	
test_case_17.2	Passed	Input: []	Commands: []	Before: []	After: "Not defined"

Testcase Complete Summary: Total: 34, Passed: 34, Failed: 0