

## Regression report

Date: 2023-10-13 Time: 12-01-29

### Summary report

Module	Total testcases	Passed	Failed
lag_interfaces	20	20	0

**Testcase Complete Summary: Total: 20, Passed: 20, Failed: 0**

### Detailed report of lag\_interfaces

**Testcase summary: Total: 20, Passed: 20, Failed: 0**

Testcase name	Status	User Input	Commands	Before	
test_case_01.1	Passed	<pre>Input: [   {     "mode": "static",     "name": "PortChannel143"   },   {     "mode": "lACP",     "name": "PortChannel144"   } ]</pre>	<pre>Commands: [   {     "name": "PortChannel143",     "state": "merged"   },   {     "name": "PortChannel144",     "state": "merged"   },   {     "members": null,     "mode": "static",     "name": "PortChannel143",     "state": "merged"   },   {     "members": null,     "mode": "lACP",     "name": "PortChannel144",     "state": "merged"   } ]</pre>	<pre>Before: []</pre>	Aft
test_case_01.2	Passed	<pre>Input: [   {     "mode": "static",     "name": "PortChannel143"   },   {     "mode": "lACP",     "name": "PortChannel144"   } ]</pre>	<pre>Commands: []</pre>	<pre>Before: [   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ]</pre>	Aft
test_case_02.1	Passed	<pre>Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "mode": "static",     "name": "PortChannel140"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     }   } ]</pre>	<pre>Commands: [   {     "name": "PortChannel140",     "state": "merged"   },   {     "name": "PortChannel141",     "state": "merged"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "mode": "static",     "name": "PortChannel140",     "state": "merged"   } ]</pre>	<pre>Before: [   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ]</pre>	Aft

Testcase name	Status	User Input	Commands	Before	
		<pre> "mode": "lACP", "name": "PortChannel141" }, { "mode": "static", "name": "PortChannel143" } ]                     </pre>	<pre> }, { "members": { "interfaces": [ { "member": "Ethernet28" } ] }, "mode": "lACP", "name": "PortChannel141", "state": "merged" } ]                     </pre>		]
test_case_02.2	Passed	<pre> Input: [ { "members": { "interfaces": [ { "member": "Ethernet20" } ] }, "mode": "static", "name": "PortChannel140" }, { "members": { "interfaces": [ { "member": "Ethernet28" } ] }, "mode": "lACP", "name": "PortChannel141" }, { "mode": "static", "name": "PortChannel143" } ]                     </pre>	Commands: []	<pre> Before: [ { "members": { "interfaces": [ { "member": "Ethernet20" } ] }, "mode": null, "name": "PortChannel140" }, { "members": { "interfaces": [ { "member": "Ethernet28" } ] }, "mode": null, "name": "PortChannel141" }, { "members": { "interfaces": null }, "mode": null, "name": "PortChannel143" }, { "members": { "interfaces": null }, "mode": null, "name": "PortChannel144" } ]                     </pre>	Aft
test_case_03.1	Passed	<pre> Input: [ { "members": { "interfaces": [ { "member": "Ethernet20" }, { "member": "Ethernet24" } ] }, "mode": "static", "name": "PortChannel140" }, { "members": { "interfaces": [ { "member": "Ethernet28" }, { "member": "Ethernet32" } ] }, "mode": "lACP", "name": "PortChannel141" }, { "name": "PortChannel142" } ]                     </pre>	<pre> Commands: [ { "members": { "interfaces": [ { "member": "Ethernet24" } ] }, "mode": "static", "name": "PortChannel140", "state": "merged" }, { "members": { "interfaces": [ { "member": "Ethernet32" } ] }, "mode": "lACP", "name": "PortChannel141", "state": "merged" }, { "name": "PortChannel142", "state": "merged" } ]                     </pre>	<pre> Before: [ { "members": { "interfaces": [ { "member": "Ethernet20" } ] }, "mode": null, "name": "PortChannel140" }, { "members": { "interfaces": [ { "member": "Ethernet28" } ] }, "mode": null, "name": "PortChannel141" }, { "members": { "interfaces": null }, "mode": null, "name": "PortChannel143" }, { "members": { "interfaces": null }, "mode": null, "name": "PortChannel144" } ]                     </pre>	Aft

Testcase name	Status	User Input	Commands	Before	
				<pre> "mode": null, "name": "PortChannel144" } ]                     </pre>	]
test_case_03.2	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         },         {           "member": "Ethernet24"         }       ]     },     "mode": "static",     "name": "PortChannel140"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         },         {           "member": "Ethernet32"         }       ]     },     "mode": "lACP",     "name": "PortChannel141"   },   {     "name": "PortChannel142"   } ]                     </pre>	<pre> Commands: []                     </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         },         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel140"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         },         {           "member": "Ethernet32"         }       ]     },     "mode": null,     "name": "PortChannel141"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel142"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ]                     </pre>	Aft
test_case_04.1	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "PortChannel140"   },   {     "members": {       "interfaces": null     },     "name": "PortChannel141"   },   {     "name": "PortChannel142"   } ]                     </pre>	<pre> Commands: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "PortChannel140",     "state": "deleted"   },   {     "name": "PortChannel141",     "state": "deleted"   },   {     "name": "PortChannel142",     "state": "deleted"   } ]                     </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         },         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel140"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "mode": null,     "name": "PortChannel141"   } ]                     </pre>	Aft

Testcase name	Status	User Input	Commands	Before	
				<pre>                 "member": "Ethernet32"             }         ]     },     "mode": null,     "name": "PortChannel141"   ],   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel142"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ] </pre>	]
test_case_04.2	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "PortChannel140"   },   {     "members": {       "interfaces": null     },     "name": "PortChannel141"   },   {     "name": "PortChannel142"   } ] </pre>	Commands: []	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel140"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ] </pre>	Aft
test_case_05.1	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "portchannel 40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "name": "po41"   } ] </pre>	<pre> Commands: [   {     "name": "PortChannel141",     "state": "merged"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "PortChannel140",     "state": "merged"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "name": "PortChannel141",     "state": "merged"   } ] </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel140"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ] </pre>	Aft

Testcase name	Status	User Input	Commands	Before	
					]
test_case_05.2	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "portchannel 40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "name": "po41"   } ]                     </pre>	<pre> Commands: []                     </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         },         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "mode": null,     "name": "PortChannel41"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel43"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel44"   } ]                     </pre>	Afi
test_case_06.1	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "portchannel 40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "name": "po41"   } ]                     </pre>	<pre> Commands: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         },         {           "member": "Ethernet24"         }       ]     },     "name": "PortChannel40",     "state": "deleted"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "name": "PortChannel41",     "state": "deleted"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "PortChannel40",     "state": "replaced"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     }   } ]                     </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         },         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet28"         }       ]     },     "mode": null,     "name": "PortChannel41"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel43"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel44"   } ]                     </pre>	Afi]

Testcase name	Status	User Input	Commands	Before	
			<pre>                     }                 ]             },             "name": "PortChannel141",             "state": "replaced"         }     ]         </pre>		
test_case_06.2	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "portchannel 40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "name": "po41"   } ]         </pre>	<pre> Commands: []         </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "mode": null,     "name": "PortChannel40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "mode": null,     "name": "PortChannel141"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ]         </pre>	Afi
test_case_07.1	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "portchannel 40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet24"         }       ]     },     "name": "po41"   } ]         </pre>	<pre> Commands: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "PortChannel140",     "state": "deleted"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "name": "PortChannel141",     "state": "deleted"   },   {     "name": "PortChannel143",     "state": "deleted"   },   {     "name": "PortChannel144",     "state": "deleted"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "PortChannel140",     "state": "overridden"   },   {     "members": {       "interfaces": [         </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "mode": null,     "name": "PortChannel140"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "mode": null,     "name": "PortChannel141"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel143"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel144"   } ]         </pre>	Afi

Testcase name	Status	User Input	Commands	Before	
			<pre>                 {                   "member": "Ethernet24"                 }               ]             },             "name": "PortChannel141",             "state": "overridden"           }         ]       }     ] </pre>		
test_case_07.2	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "name": "portchannel 40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet24"         }       ]     },     "name": "po41"   } ] </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "mode": null,     "name": "PortChannel40"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel141"   } ] </pre>	Af1
test_case_08.1	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "portchannel 42"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "name": "po43"   } ] </pre>	<pre> Commands: [   {     "name": "PortChannel140",     "state": "deleted"   },   {     "name": "PortChannel141",     "state": "deleted"   },   {     "name": "PortChannel142",     "state": "overridden"   },   {     "name": "PortChannel143",     "state": "overridden"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "PortChannel142",     "state": "overridden"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "name": "PortChannel143",     "state": "overridden"   } ] </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet20"         }       ]     },     "mode": null,     "name": "PortChannel140"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet24"         }       ]     },     "mode": null,     "name": "PortChannel141"   } ] </pre>	Af1
test_case_08.2	Passed	<pre> Input: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "name": "portchannel 42"   },   {     "members": {       "interfaces": [         { </pre>	<pre> Commands: [] </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "mode": null,     "name": "PortChannel142"   },   {     "members": {       "interfaces": [ </pre>	Af1

Testcase name	Status	User Input	Commands	Before	
		<pre>                 "member": "Ethernet40"             }         ],         "name": "po43"     } ]                     </pre>		<pre>                 {                     "member": "Ethernet40"                 }             ],             "mode": null,             "name": "PortChannel43"         }     ]                     </pre>	
test_case_09.1	Passed	<pre> Input: [   {     "name": "portchannel142"   },   {     "name": "portchannel 12"   },   {     "name": "po10"   } ]                     </pre>	<pre> Commands: [   {     "name": "PortChannel12",     "state": "merged"   },   {     "name": "PortChannel10",     "state": "merged"   } ]                     </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "mode": null,     "name": "PortChannel42"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "mode": null,     "name": "PortChannel43"   } ]                     </pre>	Af1
test_case_09.2	Passed	<pre> Input: [   {     "name": "portchannel142"   },   {     "name": "portchannel 12"   },   {     "name": "po10"   } ]                     </pre>	<pre> Commands: []                     </pre>	<pre> Before: [   {     "members": {       "interfaces": [         {           "member": "Ethernet36"         }       ]     },     "mode": null,     "name": "PortChannel42"   },   {     "members": {       "interfaces": [         {           "member": "Ethernet40"         }       ]     },     "mode": null,     "name": "PortChannel43"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel10"   },   {     "members": {       "interfaces": null     },     "mode": null,     "name": "PortChannel12"   } ]                     </pre>	Af1
test_case_10.1	Passed	<pre> Input: []                     </pre>	<pre> Commands: [   {     "mode": null,                     </pre>	<pre> Before: [   {     "members": {                     </pre>	Af1



Testcase name	Status	User Input	Commands	Before	
			<pre> "name": "PortChannel42", "state": "deleted" }, {   "mode": null,   "name": "PortChannel43",   "state": "deleted" }, {   "mode": null,   "name": "PortChannel10",   "state": "deleted" }, {   "mode": null,   "name": "PortChannel12",   "state": "deleted" } ]                     </pre>	<pre> "interfaces": [   {     "member": "Ethernet36"   } ], "mode": null, "name": "PortChannel42" }, {   "members": {     "interfaces": [       {         "member": "Ethernet40"       }     ]   }, "mode": null, "name": "PortChannel43" }, {   "members": {     "interfaces": null   }, "mode": null, "name": "PortChannel10" }, {   "members": {     "interfaces": null   }, "mode": null, "name": "PortChannel12" } ]                     </pre>	
test_case_10.2	Passed	Input: []	Commands: []	Before: []	Afi

**Testcase Complete Summary: Total: 20, Passed: 20, Failed: 0**