simplecalculator src main java com cts calculator controller © CalculatorController ⓜ CalculatorController

© CalculatorController.java ×   © SimplecalculatorApplication.java ×   © Calculator: ∨   ⋮   Unlogged: 🗁 Get Started   ● Direct Invoke   · Coverage

```
18
                                                        ⚠ 3 ∧ ∨
     1 usage
19   @GetMapping("/add")
20 🐞 public double add(@RequestParam double num1, @RequestP:
21 ⚙   return calculatorService.add(num1, num2);
22   }
23
```

❗ Process is not running with Unlogged, follow the below steps.

✔ Maven   🐢 Gradle

1. Add **Unlogged SDK** to your **pom.xml**.

```
<dependency>
  <artifactId>unlogged-sdk</artifactId>
  <groupId>video.bug</groupId>
```

Run: 🖥 SimplecalculatorApplication ×

```
"C:\Program Files\Java\jdk-17\bin\java.exe" ...
[unlogged] session Id: [269d3d8d-b4eb-4e01-905b-49e9f37a4d84] on hostname [DESKTOP-9U0DID6]
java.net.BindException Create breakpoint : Address already in use: bind
    at java.base/sun.nio.ch.Net.bind0(Native Method)
    at java.base/sun.nio.ch.Net.bind(Net.java:555)
    at java.base/sun.nio.ch.Net.bind(Net.java:544)
    at java.base/sun.nio.ch.NioSocketImpl.bind(NioSocketImpl.java:648)
    at java.base/java.net.ServerSocket.bind(ServerSocket.java:388)
    at java.base/java.net.ServerSocket.bind(ServerSocket.java:342)
    at fi.iki.elonen.NanoHTTPD$ServerRunnable.run(NanoHTTPD.java:1761) <1 internal line>
[unlogged] agent init failed, this session will not be recorded => Address already in use: bind

  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
```

🏷 Version Control   ▶ Run   🐞 Debug   ☰ TODO   ❗ Problems   ⌦ Terminal   CheckStyle   ◉ Services   🔨 Build   ⬚ Dependencies

□ ( ) All files are up-to-date (a minute ago)   14:40 CRLF UTF-8 4 spaces

Type here to search   25°C   ENG   13:00 06-01-2024