

Regression report

Date: 2024-06-06 Time: 14-17-30

Summary report

Module	Total testcases	Passed	Failed
system	18	18	0

Testcase Complete Summary: Total: 18, Passed: 18, Failed: 0

Detailed report of *system*

Testcase summary: Total: 18, Passed: 18, Failed: 0

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_01.1	Passed	Input: { "anycast_address": { "ipv4": false, "ipv6": false }, "auto_breakout": "ENABLE", "hostname": "SONIC-test", "interface_naming": "standard" }	Commands: [{ "anycast_address": { "ipv4": false, "ipv6": false }, "auto_breakout": "ENABLE", "hostname": "SONIC-test", "interface_naming": "standard", "state": "merged" }]	Before: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }	After: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC-test", "interface_naming": "standard" }	Error: "No Error"
test_case_01.2	Passed	Input: { "anycast_address": { "ipv4": false, "ipv6": false }, "auto_breakout": "ENABLE", "hostname": "SONIC-test", "interface_naming": "standard" }	Commands: []	Before: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC-test", "interface_naming": "standard" }	After: "Not defined"	Error: "No Error"
test_case_02.1	Passed	Input: { "hostname": "SONIC-new", "interface_naming": "standard_extended" }	Commands: [{ "hostname": "SONIC-new", "interface_naming": "standard_extended", "state": "merged" }]	Before: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC-test", "interface_naming": "standard" }	After: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }	Error: "No Error"
test_case_02.2	Passed	Input: { "hostname": "SONIC-new", "interface_naming": "standard_extended" }	Commands: []	Before: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC-new",	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"interface_naming": "standard_extended" }</pre>		
test_case_03.1	Passed	<pre>Input: { "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" } }</pre>	<pre>Commands: [{ "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" }, "state": "merged" }]</pre>	<pre>Before: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }</pre>	<pre>After: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }</pre>	Error: "No Error"
test_case_03.2	Passed	<pre>Input: { "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" } }</pre>	<pre>Commands: []</pre>	<pre>Before: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }</pre>	<pre>After: "Not defined"</pre>	Error: "No Error"
test_case_04.1	Passed	<pre>Input: { "anycast_address": { "ipv4": false }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }</pre>	<pre>Commands: [{ "anycast_address": { "ipv4": false }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended", "state": "deleted" }]</pre>	<pre>Before: { "anycast_address": { "ipv4": false, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }</pre>	<pre>After: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	Error: "No Error"
test_case_04.2	Passed	<pre>Input: { "anycast_address": { "ipv4": false }, "auto_breakout": "ENABLE", "hostname": "SONIC-new", "interface_naming": "standard_extended" }</pre>	<pre>Commands: []</pre>	<pre>Before: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	<pre>After: "Not defined"</pre>	Error: "No Error"
test_case_05.1	Passed	<pre>Input: { "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" } }</pre>	<pre>Commands: [{ "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" }, "state": "deleted" }]</pre>	<pre>Before: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	<pre>After: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": null }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	Error: "No Error"
test_case_05.2	Passed	<pre>Input: { "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" } }</pre>	<pre>Commands: []</pre>	<pre>Before: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": null }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	<pre>After: "Not defined"</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_06.1	Passed	Input: { "anycast_address": { "ipv4": true, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-ov", "interface_naming": "standard" }	Commands: [{ "anycast_address": { "ipv6": false }, "state": "deleted" }, { "anycast_address": { "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-ov", "interface_naming": "standard", "state": "overridden" }]	Before: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": null }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }	After: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-ov", "interface_naming": "standard" }	Error: "No Error"
test_case_06.2	Passed	Input: { "anycast_address": { "ipv4": true, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-ov", "interface_naming": "standard" }	Commands: []	Before: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-ov", "interface_naming": "standard" }	After: "Not defined"	Error: "No Error"
test_case_07.1	Passed	Input: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE" }	Commands: [{ "hostname": "SONIC-ov", "interface_naming": "standard", "state": "deleted" }, { "anycast_address": { "ipv6": false }, "auto_breakout": "DISABLE", "state": "replaced" }]	Before: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "ENABLE", "hostname": "SONIC-ov", "interface_naming": "standard" }	After: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }	Error: "No Error"
test_case_07.2	Passed	Input: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE" }	Commands: []	Before: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }	After: "Not defined"	Error: "No Error"
test_case_08.1	Passed	Input: { "anycast_address": { "ipv4": true }, "auto_breakout": "ENABLE", "hostname": "SONIC", "interface_naming": "native" }	Commands: [{ "anycast_address": { "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "state": "deleted" }, { "auto_breakout": "ENABLE", "hostname": "SONIC", "state": "replaced" }]	Before: { "anycast_address": { "ipv4": true, "ipv6": false, "mac_address": "00:09:5B:EC:EE:F2" }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }	After: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC", "interface_naming": "native" }	Error: "No Error"
test_case_08.2	Passed	Input: { "anycast_address": {	Commands: []	Before: { "anycast_address": {	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
		<pre>"ipv4": true }, "auto_breakout": "ENABLE", "hostname": "SONIC", "interface_naming": "native" }</pre>		<pre>"ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC", "interface_naming": "native" }</pre>		
del_all_test_case_01.1	Passed	Input: "Not defined"	<pre>Commands: [{ "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC", "interface_naming": "native", "state": "deleted" }]</pre>	<pre>Before: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "ENABLE", "hostname": "SONIC", "interface_naming": "native" }</pre>	<pre>After: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	Error: "No Error"
del_all_test_case_01.2	Passed	Input: "Not defined"	<pre>Commands: []</pre>	<pre>Before: { "anycast_address": { "ipv4": true, "ipv6": true, "mac_address": null }, "auto_breakout": "DISABLE", "hostname": "sonic", "interface_naming": "native" }</pre>	After: "Not defined"	Error: "No Error"

Testcase Complete Summary: Total: 18, Passed: 18, Failed: 0