

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } } </pre>	<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } } </pre>	
test_case_01.2	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": false, "mtu": 9445, "name": "Ethernet96", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": false, "fec": "FEC_DISABLED", "mtu": 6445, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel59" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_02.2	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Ethernet96", "unreliable_loss": "UNRELIABLE_LOS_MODE_OFF" }, { "description": "ansible Ethernet100", "enabled": true, "mtu": 6060, "name": "Ethernet100", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "description": "ansible Ethernet108", "enabled": false, "mtu": 5666, "name": "Ethernet108", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "ansible Ethernet104", "enabled": true, "mtu": 5222, "name": "Ethernet104", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
test_case_03.1	Passed	<pre> Input: [{ "name": "Ethernet96", "speed": "SPEED_40GB" }] </pre>	<pre> Commands: [{ "name": "Ethernet96", "speed": "SPEED_40GB", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100 }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre> "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_03.2	Passed	<pre> Input: [{ "name": "Ethernet96", "speed": "SPEED_40GB" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "description": "hi ", "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_40GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }] </pre>	<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }] </pre>	
test_case_04.2	Passed	<pre> Input: [{ "advertised_speed": [100000, 40000], "auto_negotiate": true, "name": "Ethernet108" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59",</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_40GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6000, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5227, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>	<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>	
test_case_05.2	Passed	<pre>Input: [{ "fec": "FEC_AUTO", "name": "Ethernet100", "unreliable_loss": "UNRELIABLE_LOS_MODE_OFF" }]</pre>	Commands: []	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "description": "h1 ", "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_40GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 6000, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_OFF" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "ansible Ethernet108", "enabled": false, "fec": "FEC_DISABLED", "mtu": 5666, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre> "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_06.2	Passed	<pre> Input: [{ "description": null, "name": "Ethernet96" }, { "mtu": 6000, "name": "Ethernet100", "unreliable_loss": "UNRELIABLE_LOS_MODE_OFF" }, { "enabled": null, "name": "Ethernet108" }, { "name": "Ethernet104", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet104", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_07.2	Passed	<pre> Input: [{ "description": "ansible Ethernet96", "enabled": true, "mtu": 6444, "name": "Ethernet96" }, { "description": "ansible Ethernet100", "name": "Ethernet100" }, { "description": "ansible eth60", "name": "Ethernet104" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "description": "hi ", "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel59" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }]</pre>	<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }]</pre>	
test_case_08.2	Passed	<pre>Input: [{ "description": "ansible Loopback1", "name": "Loopback 100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback 101" }]</pre>	Commands: []	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	<pre> }, { "auto_negotiate": false, "enabled": false, "description": "ansible eth60", "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_09.2	Passed	<pre> Input: [{ "description": "ansible Loopback1", "name": "Loopback 100" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	<pre> After: "Not defined" </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"unreliable_los": "UNRELIABLE_LOS_MODE_AUTO", }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false,</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 9222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" }, } } </pre>		
test_case_10.1	Passed	<pre> Input: [{ "name": "Loopback 100" }, { "name": "Loopback 101" }] </pre>	<pre> Commands: [{ "name": "Loopback100", "state": "deleted" }, { "name": "Loopback101", "state": "deleted" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "name": "Loopback100" }, { "description": "ansible Loopback2", "enabled": false, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>	<pre>{ "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>	
test_case_10.2	Passed	<pre>input: [{ "name": "Loopback 100" }, { "name": "Loopback 101" }]</pre>	Commands: []	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "name": "Loopback100" }]</pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>		
test_case_11.1	Passed	<pre>input: [{ "mtu": 5000, "name": "Vlan500" }, { "mtu": 5001, "name": "Vlan501" }]</pre>	<pre>Commands: [{ "mtu": 5000, "name": "Vlan500", "state": "merged" }, { "mtu": 5001, "name": "Vlan501", "state": "merged" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }]</pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }]</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } }</pre>	<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 5000, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" } }</pre>	
test_case_11.2	Passed	<pre>input: [{ "mtu": 5000, "name": "Vlan500" }, { "mtu": 5001, "name": "Vlan501" }]</pre>	Commands: []	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"unreliable_los": "UNRELIABLE_LOS_MODE_AUTO", }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false,</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel59" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 5000, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }]</pre>		
test_case_12.1	Passed	<pre>input: [{ "mtu": 5000, "name": "Vlan500" }]</pre>	<pre>Commands: [{ "mtu": 5000, "name": "Vlan500", "state": "deleted" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }]</pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }]</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": true, "description": "ansible Ethernet96", "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": true, "description": "ansible Ethernet100", "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 5000, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" } } </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" } } </pre>	
test_case_12.2	Passed	<pre> input: [{ "mtu": 5000, "name": "Vlan500" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"unreliable_los": "UNRELIABLE_LOS_MODE_AUTO", }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false,</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" }]</pre>		
test_case_13.1	Passed	<pre>input: [{ "mtu": 6676, "name": "Vlan500" }, { "mtu": 5113, "name": "Vlan501" }]</pre>	<pre>Commands: [{ "mtu": 6676, "name": "Vlan500", "state": "merged" }, { "mtu": 5113, "name": "Vlan501", "state": "merged" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 5001, "name": "Vlan501" } }</pre>	<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } }</pre>	
test_case_13.2	Passed	<pre>input: [{ "mtu": 6676, "name": "Vlan500" }, { "mtu": 5113, "name": "Vlan501" }]</pre>	Commands: []	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "name": "Ethernet9" }]</pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, }, }, </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } }</pre>		
test_case_14.1	Passed	<pre>input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }]</pre>	<pre>Commands: [{ "mtu": 3434, "name": "PortChannel50", "state": "merged" }, { "description": "ansible PortChannel51 descr", "mtu": 5454, "name": "PortChannel51", "state": "merged" }]</pre>	<pre>Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	<pre>After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }]</pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	
test_case_14.2	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "description": "hi", "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	
test_case_15.2	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "mtu": 5454, "name": "PortChannel51" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" },] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" } }</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 5676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } } </pre>		
test_case_16.1	Passed	<pre> Input: [{ "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }] </pre>	<pre> Commands: [{ "mtu": 3434, "name": "PortChannel150", "state": "merged" }, { "mtu": 5454, "name": "PortChannel151", "state": "merged" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, },</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6464, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel59" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>		
test_case_17.1	Passed	<pre> Input: [{ "description": "Ansible Interface1 descr", "enabled": true, "mtu": 6590, "name": "Ethernet96" }, { "description": "ansible Interface2 descr", "enabled": true, "mtu": 7590, "name": "Ethernet104", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Commands: [{ "description": "Ansible Interface1 descr", "mtu": 6590, "name": "Ethernet96", "state": "merged" }, { "description": "ansible Interface2 descr", "mtu": 7590, "name": "Ethernet104", "state": "merged", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "description": "ansible Ethernet96", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6444, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "description": "ansible eth60", "enabled": true, "fec": "FEC_DISABLED", "mtu": 5222, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "enabled": true, "mtu": 3434, "name": "PortChannel50" } } { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" } } { "enabled": true, "mtu": 6676, "name": "Vlan500" } } { "enabled": true, "mtu": 5113, "name": "Vlan501" } } } </pre>	<pre> "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 7500, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } } { "enabled": true, "mtu": 3434, "name": "PortChannel50" } } { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" } } { "enabled": true, "mtu": 6676, "name": "Vlan500" } } { "enabled": true, "mtu": 5113, "name": "Vlan501" } } } </pre>		
test_case_17.2	Passed	<pre> Input: [{ "description": "Ansible Interface1 descr", "enabled": true, "mtu": 6500, "name": "Ethernet96" }, { "description": "ansible Interface2 descr", "enabled": true, "mtu": 7500, "name": "Ethernet104", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" } }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, }] </pre>	After: "Not defined"	Error: "No Error"	

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, }, },</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"unreliable_los": "UNRELIABLE_LOS_MODE_AUTO", }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false,</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 7500, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel150" }, { "description": "ansible PortChannel151 descr", "enabled": true, "mtu": 5454, "name": "PortChannel151" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 3113, "name": "Vlan501" } } </pre>		
test_case_18.1	Passed	<pre> Input: [{ "advertised_speed": [100000, 40000], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet96" }, { "advertised_speed": [100000], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet104" }] </pre>	<pre> Commands: [{ "description": "Ansible Interface descr", "enabled": true, "name": "Ethernet96", "state": "deleted" }, { "description": "ansible Interface2 descr", "enabled": true, "name": "Ethernet104", "state": "deleted", "unreliable_loss": "UNRELIABLE_LOS_MODE_ON" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet96", "state": "replaced" }, { "advertised_speed": ["100000"], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet104", "state": "replaced" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface1 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 6500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Interface2 descr", "enabled": true, "fec": "FEC_DISABLED", "mtu": 7500, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_ON" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": [100000, 40000], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": [100000], "auto_negotiate": true, "enabled": true, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": [100000], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": [100000], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	
test_case_18.2	Passed	<pre> Input: [{ "advertised_speed": [100000, 40000], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet96" }, { "advertised_speed": [100000], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet104" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "Ansible PortChannel51 descr.", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>		
test_case_19.1	Passed	<pre> Input: [{ "advertised_speed": [40000], "auto_negotiate": true, "mtu": 3500, "name": "Ethernet96" }, { "advertised_speed": [100000, 40000], "auto_negotiate": true, "description": "Ansible Interface2", "mtu": 3500, "name": "Ethernet104" }, { "description": "Ansible Loopback1", "name": "Loopback 100" }] </pre>	<pre> Commands: [{ "advertised_speed": [40000], "name": "Ethernet96", "state": "deleted" }, { "mtu": 3500, "name": "Ethernet96", "state": "replaced" }, { "advertised_speed": [40000], "description": "Ansible Interface2", "mtu": 3500, "name": "Ethernet104", "state": "replaced" }, { "description": "Ansible Loopback1", "name": "Loopback100", "state": "replaced" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	
test_case_19.2	Passed	<pre> Input: [{ "advertised_speed": [40000], "auto_negotiate": true, "mtu": 3300, "name": "Ethernet96" }, { "advertised_speed": [100000, 40000], "auto_negotiate": true, "description": "Ansible Interface2", "mtu": 3300, "name": "Ethernet104" }, { "description": "Ansible Loopback1", "name": "Loopback 100" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"unreliable_los": "UNRELIABLE_LOS_MODE_AUTO", }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, { "auto_negotiate": false,</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet67", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet68", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet69", "speed": "SPEED_25GB", "unreliable_los": "UNRELIABLE_LOS_MODE_AUTO" }, }, } </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet70", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet71", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet72", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet73", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet74", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet75", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet76", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet77", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet78", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet79", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet80", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet81", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet82", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet83", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet84", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet85", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet86", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED" </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "description": "Ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel59" }, { "description": "Ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6076, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>		
test_case_20.1	Passed	<pre> Input: [{ "description": "Ansible Interface2", "name": "Ethernet104" }, { "description": "Ansible Loopback1 Replace", "name": "Loopback 100" }] </pre>	<pre> Commands: [{ "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet104", "state": "deleted" }, { "description": "Ansible Loopback1 Replace", "name": "Loopback100", "state": "replaced" }] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["100000", "40000"], "auto_negotiate": true, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "Ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "Ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	
test_case_20.2	Passed	<pre> Input: [{ "description": "Ansible Interface2", "name": "Ethernet104" }, { "description": "Ansible Loopback1 Replace", "name": "Loopback 100" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet0", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { }] </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet23", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100,</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> "name": "Ethernet24", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet25", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet26", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet27", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet28", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet29", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet30", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet31", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet32", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet33", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet34", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet35", "speed": "SPEED_10GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet36", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet37", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet38", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet39", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet40", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet41", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet42", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet43", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, } </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception	
				<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "hi ", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet66", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>			

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "advertised_speed": ["40000"], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3500, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "Ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>		
test_case_211	Passed	<pre> Input: [{ "description": "Interface1", "enabled": true, "mtu": 3300, "name": "Ethernet96" }, { "description": "Ansible Loopback2", "name": "Loopback 101" }] </pre>	<pre> Commands: [{ "advertised_speed": ["40000"], "auto_negotiate": true, "name": "Ethernet96", "state": "deleted" }, { "description": "hi ", "name": "Ethernet64", "state": "deleted" }, { "description": "ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "name": "Ethernet100", "state": "deleted" },] </pre>	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3434, "name": "PortChannel50" }, { "description": "Ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6676, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" }] </pre>	<pre> After: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, }] </pre>	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "advertised_speed": [40000], "auto_negotiate": true, "enabled": false, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Ethernet100", "enabled": true, "fec": "FEC_AUTO", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Ansible Interface2", "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback1 Replace", "enabled": true, "name": "Loopback100" }, { "enabled": true, "mtu": 3424, "name": "PortChannel50" }, { "description": "Ansible PortChannel51 descr", "enabled": true, "mtu": 5454, "name": "PortChannel51" }, { "enabled": true, "mtu": 6076, "name": "Vlan500" }, { "enabled": true, "mtu": 5113, "name": "Vlan501" } } </pre>	<pre> { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "description": "Interfacel", "enabled": true, "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "description": "Ansible Loopback2", "enabled": true, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel50" }, { "enabled": true, "mtu": 9100, "name": "PortChannel51" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>	
test_case_21.2	Passed	<pre> Input: [{ "description": "Interfacel", "enabled": true, "mtu": 3300, "name": "Ethernet96" }, { "description": "Ansible Loopback2", "name": "Loopback 101" }] </pre>	Commands: []	<pre> Before: [{ "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, </pre>	After: "Not defined"	Error: "No Error"

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre>"fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet1", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet2", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet3", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet4", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet5", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet6", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet7", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet8", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet9", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet10", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet11", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet12", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet13", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet14", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet15", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet16", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet17", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet18", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet19", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet20", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet21", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet22", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, }</pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet44", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet45", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet46", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet47", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet48", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet49", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet50", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet51", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet52", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet53", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet54", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet55", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet56", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet57", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet58", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet59", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet60", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet61", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet62", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet63", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet64", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet65", </pre>		

Testcase name	Status	User Input	Commands	Before	After	Module exception
				<pre> "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet87", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet88", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet89", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet90", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet91", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet92", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet93", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet94", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet95", "speed": "SPEED_25GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": true, "description": "Interfacel", "fec": "FEC_DISABLED", "mtu": 3300, "name": "Ethernet96", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet100", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet104", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet108", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet112", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet116", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet120", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "auto_negotiate": false, "enabled": false, "fec": "FEC_DISABLED", "mtu": 9100, "name": "Ethernet124", "speed": "SPEED_100GB", "unreliable_loss": "UNRELIABLE_LOSS_MODE_AUTO" }, { "description": "Ansbile Loopback2", "enabled": true, "name": "Loopback101" }, { "enabled": true, "mtu": 9100, "name": "PortChannel150" }, { "enabled": true, "mtu": 9100, "name": "PortChannel151" }, { "enabled": true, "mtu": 9100, "name": "Vlan500" }, { "enabled": true, "mtu": 9100, "name": "Vlan501" } } </pre>		

Testcase Complete Summary: Total: 42, Passed: 42, Failed: 0